

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/825,976	04/16/2004	B. Raghava Reddy	HES 2001-IP-00628U1D1	8751
28857	7590 03/09/2006		EXAM	INER
CRAIG W. RODDY HALLIBURTON ENERGY SERVICES			MULCAHY, PETER D	
P.O. BOX 143			ART UNIT	PAPER NUMBER
DUNCAN, OK 73536-0440			1713	

DATE MAILED: 03/09/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	10/825,976	REDDY ET AL.			
Office Action Summary	Examiner	Art Unit			
	Peter D. Mulcahy	1713			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timularly and will expire SIX (6) MONTHS from a cause the application to become ABANDONE!	I. ely filed the mailing date of this communication. O (35 U.S.C. § 133).			
Status					
 Responsive to communication(s) filed on <u>22 December 2005</u>. This action is FINAL. 2b) This action is non-final. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i>, 1935 C.D. 11, 453 O.G. 213. 					
Disposition of Claims					
4) Claim(s) 1-39 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 1-39 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the or	vn from consideration. relection requirement. r. r. epted or b) □ objected to by the E				
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s)					
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary (Paper No(s)/Mail Dat 5) Notice of Informal Pa 6) Other:	e			

Application/Control Number: 10/825,976 Page 2

Art Unit: 1713

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

- 2. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 3. Claims 1-39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hashimoto et al US 4,174,230 or GB 1,093,094.
- 4. The rejection set forth under 35 USC 103 in the paper mailed 9/26/05 is deemed proper and is herein repeated. The amendment and remarks filed in support thereof on 12/22/06 have been fully considered. These fail to place the case in condition for allowance for the following reasons:

Response to Arguments

5. In response to applicant's argument that the prior art fails to teach or suggest a wellbore cement, a recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to

Application/Control Number: 10/825,976

Art Unit: 1713

patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim.

Page 3

- 6. In response to applicant's arguments, the recitation wellbore has not been given patentable weight because the recitation occurs in the preamble. A preamble is generally not accorded any patentable weight where it merely recites the purpose of a process or the intended use of a structure, and where the body of the claim does not depend on the preamble for completeness but, instead, the process steps or structural limitations are able to stand alone. See *In re Hirao*, 535 F.2d 67, 190 USPQ 15 (CCPA 1976) and *Kropa v. Robie*, 187 F.2d 150, 152, 88 USPQ 478, 481 (CCPA 1951).
- 7. The prior art is seen to teach compositions that render obvious the claimed compositions. Applicants have not argued this point. The fact that the cement compositions of the prior art are not specifically stated as being "wellbore" compositions does not render the claims patentable. The cement compositions of the prior art are the same as those claimed and therefore would be suitable for use in wellbore applications as claimed. Applicants have failed to show or allege that such is not the case.
- 8. With respect to claims 15-26 are obvious for the reasons advanced supra. The additional limitations directed to the amount of polymer do not render these claims patentable. These amounts are conventional in cement compositions and are within the scope of the teachings of the prior art. As such the amounts are prima facie obvious from the cited art. Applicants have failed to show of allege that the amounts claimed are outside the teachings of the art. Further, there is no showing or allegation of unexpected results with respect to the amount of polymer used.

Application/Control Number: 10/825,976 Page 4

Art Unit: 1713

9. With respect to claims 27-39 are obvious for the reasons advanced supra. The additional limitations directed to the particle sizes does not render these claims patentable. The claimed particle sizes are conventional in cement compositions and are within the scope of the teachings of the prior art. As such the particle sizes are prima facie obvious from the cited art. Applicants have failed to show of allege that the particle sizes claimed are outside the teachings of the art. Further, there is no showing or allegation of unexpected results with respect to the particle sizes used.

Conclusion

10. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Peter D. Mulcahy whose telephone number is 571-272-1107. The examiner can normally be reached on Mon.-Fri. 8-4:30.

Art Unit: 1713

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Wu can be reached on 571-272-1114. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Peter D. Mulcany Primary Examiner Art Unit 1713

pdm 3/6/06